

# જીલ્લા કૃષિ હવામાન એકમ (DAMU)

ગ્રામીણ કૃષિ મૌસમ સેવા (GKMS) કૃષિ વિજ્ઞાન કેન્દ્ર, જૂનાગઢ કૃષિ યુનીવર્સીટી અમરેલી-૩૬૫૬૦૧



ફ્રોન નં. ૦૨૭૯૨ ૨૨૭૧૨૨

#### (જૂનાગઢ કૃષિ યુનીવર્સીટી અને ભારત મૌસમ વિભાગ દ્વારા સંપન્ન )



તા. ૧૫-૦૩-૨૦૨૩ સમય: ૧૭:૦૦

# આગામી ૨૪ કલાકમાં અમરેલી જીલ્લામાં કરાવૃષ્ટિ થવાની ની શક્યતા

#### કૃષિ સલાહ

હવામાન સારાંશ ભારત મૌસમ વિભાગ, અમદાવાદ પાસેથી મળેલ માહીતી અનુસાર આગામી ૨૪ કલાકમાં અમરેલી જીલ્લામાં છુટા છવાયા વિસ્તારોમાં વરસાદ અને ગાજવીજ સાથે કરા પડવાની શક્યતા છે

#### સામાન્ય કૃષિ સલાહ

#### કરા વૃષ્ટિ થયા પહેલા શું કરવું?

- → પશુઓને પાકા શેડમાં બાંધવા અને ખુલ્લામાં રહેવાનું ટાળવું, પાકા મકાનનો આશરો લેવો.
- → શાકભાજી અને ફળપાકોના રક્ષણ માટે નાયલોન ઝાળીથી પાકને ઢાંકી દેવા.
- → નાના ફળપાકો અને શાકભાજી પાકોને યાંત્રિક ટેકા બાંધવા.
- → કાપણી થઇ ગયેલા પાકોને સલામત સ્થળે પહોચાડવા.
- → ખેતરમાંથી વધારાના પાણીના નિકાલની વ્યવસ્થા કરવી.

## કરા વૃષ્ટિ થયા બાદ શું કરવું?

- → બગીચામાંથી કચરો અને પડી ગયેલા ફળોને સાફ કરવા અને રોગજીવાત ના વધુ ફેલાવાને ટાળવા માટે છોડની તૂટેલા ડાળીઓ અને પાનને દુર કરો.
- → જો પાકને ખાતર આપવામાં આવ્યું ન હોય, તો અસરગ્રસ્ત પાકને ભલામણ મુજબ ખાતર આપવું.
- → ઝાડને થયેલ ઈજાઓ પર યોગ્ય ભલામણ કરેલ ફ્ગનાશકનો છંટકાવ કરવો
- → વસંતઋતુમાં નુકસાન પામેલા ઝાડને ઉનાળામાં ટકી રહેવા માટે તેની આસપાસ આચ્છાદિત (મલ્ચીંગ) પાક જેવા કે શણ, ઇકડ, ગુવાર કે મગનું વાવેતર કરવું.



# કૃષિ વિજ્ઞાન કેન્દ્ર અમરેલી દ્વારા બનાવવામાં આવેલા અમરેલી જીલ્લાના **હવામાન આધારિત કૃષિ સલાહ** અંગેના તાલુકા મુજબના **વોટ્સએપ ગ્રુપમાં જોડાવા માટે** તમારા તાલુકા પર ક્લિક કરો.



જીલ્લા કૃષિ હવામાન એકમ (DAMU), ગ્રામીણ કૃષિ મૌસમ સેવા )GKMS(, કૃષિ વિજ્ઞાન કેન્દ્ર, જૂનાગઢ કૃષિ યુનીવર્સીટી, અમરેલી3૬૫૬૦૧-, ફોન નં૦૨૭૯૨ ૨૨૭૧૨૨ .

અમરેલી જીલ્લો

 $\underline{https://chat.whatsapp.com/JAWflDrsNIgKE1Z2EYAkMq}$ 



## **District Agrometeorological Unit (DAMU)**

Gramin Krishi Mausam Seva (GKMS) Krishi Vigyan Kendra Junagadh Agricultural University Amreli-365601



Phone: 02792-227122

Issued jointly by Junagadh Agricultural University and India Meteorological Department



Date: 15-03-2023 Time: 17:00

## Hail Storm Warning for next 24 hours over the Amreli District

#### Weather Summery

 According to Met centre, Ahmedabad there is Probability of thunderstorm, lightning and hailstorm over the district.

#### Management Strategies may adopt before hail storm occurrence

- → Animal should be kept under pukka sheds, also avoid going to open places, seek the shelters.
- → Cover the vegetable and fruit crops by preventive net
- → Also undertake propping in sugarcane, provide mechanical support to banana, young fruit plants and vegetables to prevent the crops from lodging due to strong winds.
- → Keep already harvested crops at safer places.
- → Arrange for adequate drainage to avoid water stagnation in standing crop fields.

#### Management Strategies may adopt after hail storm occurrence

- → To clean up the debris and fallen fruits from orchards and trim off broken stems and leaves of plants to avoid further spread of pest and diseases.
- → If crop has not been fertilized, application of fertilizer to the impacted plants can help them to regrow and develop new foliage.
- → Injuries to trees that are minor will heal but benefit from an application of fungicide to prevent rot from entering before the wounds are able to seal.
- → Open wounds on the growing shoots, branches and scaffolds present entry points for bacterial and fungal pathogens and also insects.
- → Plants damaged in the spring season benefit from a layer of mulch around the base of the plant to help it survive in summer.

## Subject Matter Specialist Agrometeorology

# Click your block to join whatsapp group of DAMU

Amreli	
District	https://chat.whatsapp.com/JAWflDrsNIgKE1Z2EYAkMq